

Version 2.6.0.36 - Released July 4, 2014

New Features

- Timestamp overlay now available on primary stream
- Increased number of privacy zones to 64

Issues Fixed

- Timestamp for onboard storage is corrected to be time of first frame recorded instead of file creation time
- NTP configuration dialog controls fixed to properly reflect configured settings
- Switching 802.1x configuration when using certificate based authentication is now working

Version 2.6.0.32 - Released May 16, 2014

New Features

802.1x authentication support using PEAP and EAP-TLS

Version 2.6.0.22 - Released April 22, 2014

New Features

Improved color accuracy for automatic white balance and WDR cameras

Issues Fixed

Fixed garbled audio when sending audio stream to multiple servers simultaneously

Version 2.6.0.18 - Released Feb 25, 2014

Issues Fixed

Fixed intermittent reboot issues on H3 box cameras



Version 2.6.0.14 - Released December 24, 2013

New Features

Improved color accuracy when using manual white balance

Issues Fixed

- In WebUI, NTP server settings now accept IP address in addition to hostnames
- Reduced false motion detection during low light

Version 2.4.10.6 - Released October 15, 2013

New Features

- Improved black-level adjustment at night
- LightCatcher cameras switch to monochrome at a lower light level
- Initial release for the following LightCatcher H.264 HD cameras:
 - o 1.3L-H3-B1
 - o 1.3L-H3-B2
 - o 1.3L-H3-B3
 - o 1.3L-H3-DC1
 - o 1.3L-H3-DC2
 - o 1.3L-H3-DP1
 - o 1.3L-H3-DP2
 - o 1.3L-H3-DO1
 - o 1.3L-H3-DO2
 - o 1.3L-H3-D1
 - o 1.3L-H3-D2

Issues Fixed

- Cameras in WDR mode switch to monochrome at the same light level as when they are not using WDR mode
- For cameras with integrated IR, improved focus when switching from color to monochrome
- Removed false motion detection when adaptive IR is on



Version 2.4.10.4 - Released September 12, 2013

New Features

- Improved colors when primary stream compression is MJPEG
- · Improved sharpening and saturation
- Increase effectiveness of sharpness slider

Issues Fixed

Focus and zoom position lost after reboot (introduced in version 2.4.10.2 ONLY)

Version 2.4.6.30 - Released July 30, 2013

New Features

Ability to stream from camera to an FFMPEG player

Issues Fixed

- Camera automatically refocuses when the zoom position is changed
- Removed false motion detection when IR is on

Version 2.4.6.26 - Released June 7, 2013

New Features

WebUI JPEG URI in the compression setup page shows the IP-address or hostname

Issues Fixed

- WebUI Apply button is only enabled if something is changed
- WebUI System page is refreshed after an upgrade/reboot/restart



Version 2.4.6.22 - Released March 25, 2013

New Features

- Full resolution still image HTTP URI available in web interface when primary stream compression is MJPEG
- ONVIF Profile S conformant
- Motion detection sensitivity is reduced during movement of the IR cut filter movement to prevent false motion detection events
- Content adaptive IR sensitive to smaller objects
- Support for indoor and outdoor domes with integrated IR illuminator with zoom and scene adaptive IR illumination
- Privacy zones are masked for auto-exposure and backlight compensation

Issues Fixed

- Monochrome encoding issue that could result in false color applied on display addressed
- DHCP gateway displayed correctly in web interface

Version 2.4.2.8 - Released December 21, 2012

Issues Fixed

Backlight compensation control issue resolved for 1MP, 2MP, and 5MP cameras

Version 2.4.2.6 - Released December 14, 2012

New Features

- Scene-adaptive wide dynamic range algorithms added to 3.0W-H3 WDR cameras and dome cameras improving image quality and dynamic range for all scenes
- Improved white balance speed and color reproduction for 3.0W-H3 WDR cameras and dome cameras
- Additional optimization of automatic P-Iris control to improve image sharpness and detail at all light levels



- Extended browser support for web user interface
- Improved monochrome encoding, improving resolution in moderate low light
- Optimized sharpening settings for improved image quality in bright conditions

Issues Fixed

- Status LED behavior updated
- Focus issue with presets resolved
- Potential reboot of 3.0W-H3 after resolution change resolved
- Backlight compensation issue for 3MP and 5MP H3 cameras resolved
- Genetec connection issue resolved
- Various web user interface issues resolved

Version 2.4.0.20 - Released June 27, 2011

Issues Fixed

 Potential issue with increased video latency when running at maximum bit rate for extended periods

Version 2.4.0.18 - Released June 22, 2011

New Features

- Initial release of firmware for the following HD H.264 cameras
 - o 1.0-H3-B1
 - o 2.0-H3-B1

Version 2.4.0.14 - Released June 12, 2011

New Features

- Initial release of firmware for the following HD H.264 cameras and dome cameras:
 - o 1.0-H3-B2
 - o 2.0-H3-B2
 - o 3.0W-H3-B2



- o 5.0-H3-B2
- o 1.0-H3-D1
- o 1.0-H3-DO1
- o 1.0-H3-DP1
- o 1.0-H3-DC1
- o 2.0-H3-D1
- o 2.0-H3-DO1
- o 2.0-H3-DP1
- o 2.0-H3-DC1
- o 3.0W-H3-D1
- o 3.0W-H3-DO1
- o 3.0W-H3-DP1
- o 3.0W-H3-DC1
- o 5.0-H3-D1
- o 5.0-H3-DO1
- o 5.0-H3-DP1
- o 5.0-H3-DC1